

AENOR



AENOR Product Certificate



020/003820

AENOR certifies that the organization

DANOSA GROUP, S.A.

registered office CALLE DE LA GRANJA, 3 28108 ALCOBENDAS (Madrid - España)

supplies **Extruded polystyrene foam**

in compliance with UNE-EN 13164:2013+A1:2015 (EN 13164:2012+A1:2015)

Trade mark DANOPREN TR

See annex for more information.

Production site PI SECTOR 9 19290 FONTANAR (Guadalajara - España)

Certification scheme In order to grant this Certificate, AENOR has tested the product and has verified the quality system implemented for its manufacture. AENOR performs these tasks periodically while the Certificate has not been cancelled, in accordance with Specific Rules RP 020.03.

First issued on 2016-02-22

Last issued on 2026-02-22

Validity 2031-02-22

Rafael GARCÍA MEIRO
CEO



AENOR CONFÍA S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com



AENOR Product Certificate

020/003820

Annex to Certificate

Trade mark DANOPREN TR

Thermal conductivity (W/mK)	Thickness (mm)	Thermal resistance (m ² K/W)	Reaction to fire	Designation code
0,033	40	1,20	E	XPS-EN-13164-T1-CS(10/Y)300-DS(70)-WL(T)0,7
0,033	50	1,50	E	XPS-EN-13164-T1-CS(10/Y)300-DS(70)-WL(T)0,7
0,033	60	1,85	E	XPS-EN-13164-T1-CS(10/Y)300-DS(70)-WL(T)0,7
0,035	70	2,05	E	XPS-EN-13164-T1-CS(10/Y)300-DS(70)-WL(T)0,7
0,035	80	2,35	E	XPS-EN-13164-T1-CS(10/Y)300-DS(70)-WL(T)0,7
0,036	90	2,50	E	XPS-EN-13164-T1-CS(10/Y)300-DS(70)-WL(T)0,7
0,036	100	2,80	E	XPS-EN-13164-T1-CS(10/Y)300-DS(70)-WL(T)0,7

First issued on 2016-02-22
Last issued on 2026-02-22
Validity 2031-02-22



AENOR CONFÍA S.A.U.
Génova, 6. 28004 Madrid. España
Tel. 91 432 60 00.- www.aenor.com