

OBJECTIVES

The following information is aimed at companies that carry out work within our facilities, following the provisions of art. 24 of Law 31/95 on the prevention of occupational risks, on the obligation on the part of the employer who owns the work centre where the work is carried out by external companies.

This information is, at all times, complementary to that outlined in each of the prevention manuals of each company; Each company hired must ensure compliance with the regulations on risk prevention as far as its personnel are concerned.

The functionality of this NS is derived from the *PC 39.01 AAEE Coordination procedure* and will be complementary to the different operational NSs that derive from the different works to be carried out by the contracted companies, regardless of whether Danosa acts as Principal or Principal Entrepreneur.

Prior to the start of the work, the personnel of the contractor must **GO THROUGH THE ACCESS CONTROL TO THE FACILITIES** daily during the time that the work to be carried out is extended; the **CONTROL will be both at the entrance and exit of the building**, in order to have a record of the personnel who are present in the building in case of an emergency evacuation.

OPERATIVENESS

The different risk situations are presented below depending on the section / warehouse where the work is to be carried out and depending on the presence of Danosa workers:

Content

WAREHOUSE 1.- GEOTEXTILE, COMPOUND, PVC, DANODREN, IMPACTODAN, ACOUSTICS 2

WAREHOUSE 3.- XPS, MAINTENANCE WORKSHOP..... 3

HALL 4: SHEETS, MIXTURES..... 4

LOGISTICS SHIPS (2 & 5)..... 5

LIQUID WAREHOUSE 6

SUSTAINABLE RENOVATION WAREHOUSE – SLABS 7

ISOBUTANE – ETHANOL DISCHARGE AREA 8

LABORATORY SECTION 9

REST PLANT..... 10

WAREHOUSE 6.- TPO..... 11

The delivery of this NS will be in conjunction with the Emergency and Evacuation Plan of the facilities and the contracted company will be requested to sign the receipt of the same.

Along with the risks and preventive measures, the risks added by the tasks to be carried out by the contracted company must be taken into account, for which the communication referred to in procedure *PC 39.01 AAEE Coordination* must be established prior to the start of the tasks.

If within the tasks to be carried out by the contracted company it is necessary to carry out tasks that involve fire, spark or similar or it is necessary to enter confined spaces (tanks, tanks or similar), it is imperative to apply for fire or entry permits into confined spaces.

Got:

sábado, 27 de septiembre de 2025
HARMFUL SAFETY AND HYGIENE
SIGNED: Pablo Hdez

FDO: (name, surname and position)

**RISKS TO WHICH COMPANIES EXTERNAL TO THE
CARRY OUT YOUR WORK IN OUR FACILITIES**

**WAREHOUSE 1.- GEOTEXTILE, COMPOUND, PVC, DANODREN, IMPACTODAN,
ACOUSTICS**

WHILE OUR STAFF IS PERFORMING THEIR USUAL DUTIES

POSSIBLE RISKS:

- RUN OVER BY VEHICLES
- BLOWS PRODUCED BY MOVING OBJECTS
- HITTING FIXED OBJECTS
- FALLS AT THE SAME LEVEL
- FALLS AT DIFFERENT LEVELS
- PARTICLE PROJECTION
- PARTICLES-FIBERS
- CHEMICAL SPILL
- FIRE
- CONTACT BURN
- INDUSTRIAL NOISE

PREVENTIVE MEASURES:

- CAUTION WHEN GOING DOWN THE STAIRS. ALWAYS USE THE HANDRAIL
- USE OF VERTICAL LADDERS WITHOUT AUTHORIZATION IS PROHIBITED
- BE ATTENTIVE TO ANY MOVEMENT OF LOADS, FORKLIFTS, ETC.
- USE CAUTION WHEN MOVING AROUND THE AREA
- IN THE EVENT OF ANY EMERGENCY SITUATION, IMMEDIATELY NOTIFY DANOSA PERSONNEL

PROPOSED PROTECTION MEASURES:

- SAFETY BOOTS (minimum S1P OR S4 RUBBER)
- ANTI-NOISE PROTECTION
- GLASSES W/PROJECTIONS
- AV VEST
- CHICHONERA. WORK INSIDE THE LINE
- CHEMICAL PROTECTION MASK: ABEKP FILTER (ASK FOR YOUR NEED)

WHILE OUR STAFF IS NOT PERFORMING THEIR USUAL DUTIES

POSSIBLE RISKS:

- HITTING FIXED OBJECTS
- FALLS AT THE SAME LEVEL
- FALLS AT DIFFERENT LEVELS
- PARTICLE PROJECTION
- CHEMICAL SPILL
- FIRE

PREVENTIVE MEASURES:

- CAUTION WHEN GOING DOWN THE STAIRS. ALWAYS USE THE HANDRAIL
- USE OF VERTICAL LADDERS WITHOUT AUTHORIZATION IS PROHIBITED
- BE ATTENTIVE TO ANY MOVEMENT OF LOADS, FORKLIFTS, ETC.
- USE CAUTION WHEN MOVING AROUND THE AREA
- IN THE EVENT OF ANY EMERGENCY SITUATION, IMMEDIATELY NOTIFY DANOSA PERSONNEL

PROPOSED PROTECTION MEASURES:

- SAFETY BOOTS (minimum S1P OR S4 RUBBER)
- AV VEST
- GLASSES W/PROJECTIONS
- CHICHONERA. WORK INSIDE THE LINE

**RISKS TO WHICH COMPANIES EXTERNAL TO THE
CARRY OUT YOUR WORK IN OUR FACILITIES**

WAREHOUSE 3.- XPS, MAINTENANCE WORKSHOP

WHILE OUR STAFF IS PERFORMING THEIR USUAL DUTIES

POSSIBLE RISKS:

- RUN OVER BY VEHICLES
- BLOWS PRODUCED BY MOVING OBJECTS
- HITTING FIXED OBJECTS
- FALLS AT THE SAME LEVEL
- FALLS AT DIFFERENT LEVELS
- PARTICLE PROJECTION
- CHEMICAL SPILL
- FIRE. ATEX ZONE
- CONTACT BURN
- INDUSTRIAL NOISE

PREVENTIVE MEASURES:

- CAUTION WHEN GOING DOWN THE STAIRS. ALWAYS USE THE HANDRAIL
- USE OF VERTICAL LADDERS WITHOUT AUTHORIZATION IS PROHIBITED
- BE ATTENTIVE TO ANY MOVEMENT OF LOADS, FORKLIFTS, ETC.
- USE CAUTION WHEN MOVING AROUND THE AREA
- IN THE EVENT OF ANY EMERGENCY SITUATION, IMMEDIATELY NOTIFY DANOSA PERSONNEL

PROPOSED PROTECTION MEASURES:

- SAFETY BOOTS (minimum S1P OR S4 RUBBER)
- ANTI-NOISE PROTECTION
- GLASSES W/PROJECTIONS
- AV VEST
- CHICHONERA. WORK INSIDE THE LINE
- CHEMICAL PROTECTION MASK: ABEKP FILTER (ASK FOR YOUR NEED)

WHILE OUR STAFF IS NOT PERFORMING THEIR USUAL DUTIES

POSSIBLE RISKS:

- HITTING FIXED OBJECTS
- FALLS AT THE SAME LEVEL
- FALLS AT DIFFERENT LEVELS
- PARTICLE PROJECTION
- CHEMICAL SPILL
- FIRE

PREVENTIVE MEASURES:

- CAUTION WHEN GOING DOWN THE STAIRS. ALWAYS USE THE HANDRAIL
- USE OF VERTICAL LADDERS WITHOUT AUTHORIZATION IS PROHIBITED
- BE ATTENTIVE TO ANY MOVEMENT OF LOADS, FORKLIFTS, ETC.
- USE CAUTION WHEN MOVING AROUND THE AREA
- IN THE EVENT OF ANY EMERGENCY SITUATION, IMMEDIATELY NOTIFY DANOSA PERSONNEL

PROPOSED PROTECTION MEASURES:

- SAFETY BOOTS (minimum S1P OR S4 RUBBER)
- AV VEST
- CHICHONERA. WORK INSIDE THE LINE
- GLASSES W/PROJECTIONS

**RISKS TO WHICH COMPANIES EXTERNAL TO THE
CARRY OUT YOUR WORK IN OUR FACILITIES**

HALL 4: SHEETS, MIXTURES

WHILE OUR STAFF IS PERFORMING THEIR USUAL DUTIES

POSSIBLE RISKS:

- RUN OVER BY VEHICLES
- BLOWS PRODUCED BY MOVING OBJECTS
- HITTING FIXED OBJECTS
- FALLS AT THE SAME LEVEL / DIFFERENT LEVEL
- PARTICLE PROJECTION
- PARTICLES-FIBERS
- SMOKE
- CRYSTALLINE SILICA RESPIRABLE FRACTION
- FALLING OBJECTS. MIXTURES
- CHEMICAL SPILL
- FIRE
- CONTACT BURN
- INDUSTRIAL NOISE

PREVENTIVE MEASURES:

- CAUTION WHEN GOING DOWN THE STAIRS. ALWAYS USE THE HANDRAIL
- USE OF VERTICAL LADDERS WITHOUT AUTHORIZATION IS PROHIBITED
- BE ATTENTIVE TO ANY MOVEMENT OF LOADS, FORKLIFTS, ETC.
- USE CAUTION WHEN MOVING AROUND THE AREA
- IN THE EVENT OF ANY EMERGENCY SITUATION, IMMEDIATELY NOTIFY DANOSA PERSONNEL

PROPOSED PROTECTION MEASURES:

- SAFETY BOOTS (minimum S1P OR S4 RUBBER)
- ANTI-NOISE PROTECTION
- GLASSES W/PROJECTIONS
- CHICHONERA. WORK INSIDE THE LINE
- AV VEST
- HEAD SAFETY HELMET. MIXTURES
- FFP3 MASK
- CHEMICAL PROTECTION MASK: ABEKP FILTER (ASK FOR YOUR NEED)

WHILE OUR STAFF IS NOT PERFORMING THEIR USUAL DUTIES

POSSIBLE RISKS:

- HITTING FIXED OBJECTS
- FALLS AT THE SAME LEVEL / DIFFERENT LEVEL
- PARTICLE PROJECTION
- CHEMICAL SPILL
- CONTACT BURN
- FIRE

PREVENTIVE MEASURES:

- CAUTION WHEN GOING DOWN THE STAIRS. ALWAYS USE THE HANDRAIL
- USE OF VERTICAL LADDERS WITHOUT AUTHORIZATION IS PROHIBITED
- BE ATTENTIVE TO ANY MOVEMENT OF LOADS, FORKLIFTS, ETC.
- USE CAUTION WHEN MOVING AROUND THE AREA
- IN THE EVENT OF ANY EMERGENCY SITUATION, IMMEDIATELY NOTIFY DANOSA PERSONNEL

PROPOSED PROTECTION MEASURES:

- SAFETY BOOTS (minimum S1P OR S4 RUBBER)
- CHEMICAL PROTECTION MASK: ABEKP FILTER (ASK FOR YOUR NEED)
- AV VEST
- CHICHONERA. WORK INSIDE THE LINE
- GLASSES W/PROJECTIONS

**RISKS TO WHICH COMPANIES EXTERNAL TO THE
CARRY OUT YOUR WORK IN OUR FACILITIES**

LOGISTICS SHIPS (2 & 5)

WHILE OUR STAFF IS PERFORMING THEIR USUAL DUTIES

POSSIBLE RISKS:

- RUN OVER BY VEHICLES
- BLOWS PRODUCED BY MOVING OBJECTS
- HITTING FIXED OBJECTS
- FALLS AT THE SAME LEVEL
- FALLS AT DIFFERENT LEVELS (WAREHOUSE 2, DRY BLEND AREA)
- PARTICLE PROJECTION
- CHEMICAL SPILL
- FIRE
- INDUSTRIAL NOISE (HALL 2, DRY BLEND AREA)

PREVENTIVE MEASURES:

- CAUTION WHEN GOING DOWN THE STAIRS. ALWAYS USE THE HANDRAIL
- USE OF VERTICAL LADDERS WITHOUT AUTHORIZATION IS PROHIBITED
- BE ATTENTIVE TO ANY MOVEMENT OF LOADS, FORKLIFTS, ETC.
- USE CAUTION WHEN MOVING AROUND THE AREA
- IN THE EVENT OF ANY EMERGENCY SITUATION, IMMEDIATELY NOTIFY DANOSA PERSONNEL

PROPOSED PROTECTION MEASURES:

- SAFETY BOOTS (minimum S1P OR S4 RUBBER)
- NOISE PROTECTION (HALL 2, DRY BLEND ZONE)
- GLASSES W/ PROJECTIONS (NAVE 2, DRY BLEND AREA)
- AV VEST
- CHEMICAL PROTECTION MASK: ABEKP FILTER (ASK FOR YOUR NEED)

WHILE OUR STAFF IS NOT PERFORMING THEIR USUAL DUTIES

POSSIBLE RISKS:

- HITTING FIXED OBJECTS
- FALLS AT THE SAME LEVEL
- FALLS AT DIFFERENT LEVELS (WAREHOUSE 2, DRY BLEND AREA)
- CHEMICAL SPILL
- FIRE

PREVENTIVE MEASURES:

- CAUTION WHEN GOING DOWN THE STAIRS. ALWAYS USE THE HANDRAIL
- USE OF VERTICAL LADDERS WITHOUT AUTHORIZATION IS PROHIBITED
- BE ATTENTIVE TO ANY MOVEMENT OF LOADS, FORKLIFTS, ETC.
- USE CAUTION WHEN MOVING AROUND THE AREA
- IN THE EVENT OF ANY EMERGENCY SITUATION, IMMEDIATELY NOTIFY DANOSA PERSONNEL

PROPOSED PROTECTION MEASURES:

- SAFETY BOOTS (minimum S1P OR S4 RUBBER)
- AV VEST

**RISKS TO WHICH COMPANIES EXTERNAL TO THE
CARRY OUT YOUR WORK IN OUR FACILITIES**

LIQUID WAREHOUSE

WHILE OUR STAFF IS PERFORMING THEIR USUAL DUTIES

POSSIBLE RISKS:

- RUN OVER BY VEHICLES
- BLOWS PRODUCED BY MOVING OBJECTS
- HITTING FIXED OBJECTS
- FALLS AT THE SAME LEVEL
- PARTICLE PROJECTION
- CHEMICAL SPILL
- FIRE. ATEX ZONE
- CHEMICAL BURN
- INDUSTRIAL NOISE

PREVENTIVE MEASURES:

- BE ATTENTIVE TO ANY MOVEMENT OF LOADS, FORKLIFTS, ETC.
- USE CAUTION WHEN MOVING AROUND THE AREA
- IN THE EVENT OF ANY EMERGENCY SITUATION, IMMEDIATELY NOTIFY DANOSA PERSONNEL

PROPOSED PROTECTION MEASURES:

- SAFETY BOOTS (minimum S1P OR S4 RUBBER)
- ANTI-NOISE PROTECTION
- GLASSES W/PROJECTIONS
- AV VEST
- CHEMICAL PROTECTION MASK: ABEKP FILTER (ASK FOR YOUR NEED)

WHILE OUR STAFF IS NOT PERFORMING THEIR USUAL DUTIES

POSSIBLE RISKS:

- HITTING FIXED OBJECTS
- FALLS AT THE SAME LEVEL
- PARTICLE PROJECTION
- CHEMICAL SPILL
- CHEMICAL BURN
- FIRE

PREVENTIVE MEASURES:

- BE ATTENTIVE TO ANY MOVEMENT OF LOADS, FORKLIFTS, ETC.
- USE CAUTION WHEN MOVING AROUND THE AREA
- IN THE EVENT OF ANY EMERGENCY SITUATION, IMMEDIATELY NOTIFY DANOSA PERSONNEL

PROPOSED PROTECTION MEASURES:

- SAFETY BOOTS (minimum S1P OR S4 RUBBER)
- AV VEST
- GLASSES W/PROJECTIONS

**RISKS TO WHICH COMPANIES EXTERNAL TO THE
CARRY OUT YOUR WORK IN OUR FACILITIES**

SUSTAINABLE RENOVATION WAREHOUSE – SLABS

WHILE OUR STAFF IS PERFORMING THEIR USUAL DUTIES

POSSIBLE RISKS:

- RUN OVER BY VEHICLES
- BLOWS PRODUCED BY MOVING OBJECTS
- HITTING FIXED OBJECTS
- FALLS AT THE SAME LEVEL
- FALLS AT DIFFERENT LEVELS
- PARTICLE PROJECTION
- PARTICLES-FIBERS
- CRYSTALLINE SILICA RESPIRABLE FRACTION (SLAB LINE)
- FIRE
- CONTACT BURN
- INDUSTRIAL NOISE

PREVENTIVE MEASURES:

- BE ATTENTIVE TO ANY MOVEMENT OF LOADS, FORKLIFTS, ETC.
- USE CAUTION WHEN MOVING AROUND THE AREA
- IN THE EVENT OF ANY EMERGENCY SITUATION, IMMEDIATELY NOTIFY DANOSA PERSONNEL

PROPOSED PROTECTION MEASURES:

- SAFETY BOOTS (minimum S1P OR S4 RUBBER)
- AV VEST
- GLASSES W/PROJECTIONS
- ANTI-NOISE PROTECTION
- FFP3 MASK IN THE WORK TO BE CARRIED OUT ON THE SLAB LINE

WHILE OUR STAFF IS NOT PERFORMING THEIR USUAL DUTIES

POSSIBLE RISKS:

- HITTING FIXED OBJECTS
- FALLS AT THE SAME LEVEL
- FALLS AT DIFFERENT LEVELS
- FIRE

PREVENTIVE MEASURES:

- CAUTION WHEN GOING DOWN THE STAIRS. ALWAYS USE THE HANDRAIL
- USE OF VERTICAL LADDERS WITHOUT AUTHORIZATION IS PROHIBITED
- BE ATTENTIVE TO ANY MOVEMENT OF LOADS, FORKLIFTS, ETC.
- USE CAUTION WHEN MOVING AROUND THE AREA
- IN THE EVENT OF ANY EMERGENCY SITUATION, IMMEDIATELY NOTIFY DANOSA PERSONNEL

PROPOSED PROTECTION MEASURES:

- SAFETY BOOTS (minimum S1P OR S4 RUBBER)
- AV VEST
- GLASSES W/PROJECTIONS

**RISKS TO WHICH COMPANIES EXTERNAL TO THE
CARRY OUT YOUR WORK IN OUR FACILITIES**

ISOBUTANE – ETHANOL DISCHARGE AREA

WHILE A DOWNLOAD IS IN PLACE

POSSIBLE RISKS:

- FIRE. ATEX ZONE
- LEGIONELLA (COOLING TOWER)

PREVENTIVE MEASURES:

- USE OF VERTICAL LADDERS WITHOUT AUTHORIZATION IS PROHIBITED
- NO WORK IS PROHIBITED IN THE VICINITY WITHOUT AUTHORISATION
- FOLLOW THE INSTRUCTIONS OF THE PLANT PERSONNEL ACCORDING TO THE UNLOADING PROCEDURE
- BE ATTENTIVE TO ANY MOVEMENT OF LOADS, FORKLIFTS, ETC.
- USE CAUTION WHEN MOVING AROUND THE AREA
- IN THE EVENT OF ANY EMERGENCY SITUATION, IMMEDIATELY NOTIFY DANOSA PERSONNEL

PROPOSED PROTECTION MEASURES:

- SAFETY BOOTS (minimum S1P OR S4 RUBBER)
- AV VEST
- GLASSES W/PROJECTIONS
- EXTINGUISHING MEANS AVAILABLE
- INDICATIONS OF THE UNLOADING PROCEDURE

WHILE OUR STAFF IS NOT PERFORMING THEIR USUAL DUTIES

POSSIBLE RISKS:

- FIRE. ATEX ZONE

PREVENTIVE MEASURES:

- USE OF VERTICAL LADDERS WITHOUT AUTHORIZATION IS PROHIBITED
- NO WORK IS PROHIBITED IN THE VICINITY WITHOUT AUTHORISATION
- BE ATTENTIVE TO ANY MOVEMENT OF LOADS, FORKLIFTS, ETC.
- USE CAUTION WHEN MOVING AROUND THE AREA
- IN THE EVENT OF ANY EMERGENCY SITUATION, IMMEDIATELY NOTIFY DANOSA PERSONNEL

PROPOSED PROTECTION MEASURES:

- SAFETY BOOTS (minimum S1P OR S4 RUBBER)
- AV VEST
- GLASSES W/PROJECTIONS
- EXTINGUISHING MEANS AVAILABLE

**RISKS TO WHICH COMPANIES EXTERNAL TO THE
CARRY OUT YOUR WORK IN OUR FACILITIES**

LABORATORY SECTION

WHILE OUR STAFF IS PERFORMING THEIR USUAL DUTIES

POSSIBLE RISKS:

- HITTING FIXED OBJECTS
- FALLS AT THE SAME LEVEL
- FALLS AT DIFFERENT LEVELS
- PARTICLE PROJECTION
- CHEMICAL SPILL
- FIRE
- CONTACT BURN
- CHEMICAL BURN

PREVENTIVE MEASURES:

- CAUTION WHEN GOING DOWN THE STAIRS. ALWAYS USE THE HANDRAIL
- BE ATTENTIVE TO ANY MOVEMENT OF LOADS, FORKLIFTS, ETC.
- USE CAUTION WHEN MOVING AROUND THE AREA
- IN THE EVENT OF ANY EMERGENCY SITUATION, IMMEDIATELY NOTIFY DANOSA PERSONNEL

PROPOSED PROTECTION MEASURES:

- SAFETY BOOTS (minimum S1P OR S4 RUBBER)
- GLASSES W/PROJECTIONS
- AV VEST
- CHEMICAL PROTECTION MASK: ABEKP FILTER (ASK FOR YOUR NEED)

WHILE OUR STAFF IS NOT PERFORMING THEIR USUAL DUTIES

POSSIBLE RISKS:

- HITTING FIXED OBJECTS
- FALLS AT THE SAME LEVEL
- FALLS AT DIFFERENT LEVELS
- PARTICLE PROJECTION
- CHEMICAL SPILL
- CHEMICAL BURN
- FIRE

PREVENTIVE MEASURES:

- CAUTION WHEN GOING DOWN THE STAIRS. ALWAYS USE THE HANDRAIL
- BE ATTENTIVE TO ANY MOVEMENT OF LOADS, FORKLIFTS, ETC.
- USE CAUTION WHEN MOVING AROUND THE AREA
- IN THE EVENT OF ANY EMERGENCY SITUATION, IMMEDIATELY NOTIFY DANOSA PERSONNEL

PROPOSED PROTECTION MEASURES:

- SAFETY BOOTS (minimum S1P OR S4 RUBBER)
- AV VEST
- GLASSES W/PROJECTIONS

**RISKS TO WHICH COMPANIES EXTERNAL TO THE
CARRY OUT YOUR WORK IN OUR FACILITIES**

REST PLANT

WHILE OUR STAFF IS PERFORMING THEIR USUAL DUTIES

POSSIBLE RISKS:

- FALLS AT THE SAME LEVEL
- FALLS AT DIFFERENT LEVELS
- PARTICLE PROJECTION (EXCEPT IN OFFICES)
- FIRE
- LEGIONELLA (COOLING TOWER)

PREVENTIVE MEASURES:

- CAUTION WHEN GOING DOWN THE STAIRS. ALWAYS USE THE HANDRAIL
- USE OF VERTICAL LADDERS WITHOUT AUTHORIZATION IS PROHIBITED
- USE CAUTION WHEN MOVING AROUND THE AREA
- IN THE EVENT OF ANY EMERGENCY SITUATION, IMMEDIATELY NOTIFY DANOSA PERSONNEL
- FORBIDDEN TO APPROACH THE COOLING TOWER (ONLY AUTHORIZED PERSONNEL)

PROPOSED PROTECTION MEASURES:

- SAFETY BOOTS (minimum S1P OR S4 RUBBER)
- GLASSES W/PROJECTIONS (EXCEPT IN OFFICES)
- AV VEST

WHILE OUR STAFF IS NOT PERFORMING THEIR USUAL DUTIES

POSSIBLE RISKS:

- HITTING FIXED OBJECTS
- PARTICLE PROJECTION (OWN ACTIVITY)
- FALLS AT THE SAME LEVEL
- FALLS AT DIFFERENT LEVELS
- FIRE
- LEGIONELLA (COOLING TOWER)

PREVENTIVE MEASURES:

- CAUTION WHEN GOING DOWN THE STAIRS. ALWAYS USE THE HANDRAIL
- USE OF VERTICAL LADDERS WITHOUT AUTHORIZATION IS PROHIBITED
- FORBIDDEN TO APPROACH THE COOLING TOWER (ONLY AUTHORIZED PERSONNEL)
- USE CAUTION WHEN MOVING AROUND THE AREA
- IN THE EVENT OF ANY EMERGENCY SITUATION, IMMEDIATELY NOTIFY DANOSA PERSONNEL

PROPOSED PROTECTION MEASURES:

- SAFETY BOOTS (minimum S1P OR S4 RUBBER)
- GLASSES W/PROJECTIONS (OWN ACTIVITY)
- AV VEST

**RISKS TO WHICH COMPANIES EXTERNAL TO THE
CARRY OUT YOUR WORK IN OUR FACILITIES**

WAREHOUSE 6.- TPO

WHILE OUR STAFF IS PERFORMING THEIR USUAL DUTIES

POSSIBLE RISKS:

- RUN OVER BY VEHICLES
- BLOWS PRODUCED BY MOVING OBJECTS
- HITTING FIXED OBJECTS
- FALLS AT THE SAME LEVEL
- FALLS AT DIFFERENT LEVELS
- PARTICLE PROJECTION
- FIRE.
- CONTACT BURN
- INDUSTRIAL NOISE

PREVENTIVE MEASURES:

- CAUTION WHEN GOING DOWN THE STAIRS. ALWAYS USE THE HANDRAIL
- USE OF VERTICAL LADDERS WITHOUT AUTHORIZATION IS PROHIBITED
- BE ATTENTIVE TO ANY MOVEMENT OF LOADS, FORKLIFTS, ETC.
- USE CAUTION WHEN MOVING AROUND THE AREA
- IN THE EVENT OF ANY EMERGENCY SITUATION, IMMEDIATELY NOTIFY DANOSA PERSONNEL

PROPOSED PROTECTION MEASURES:

- SAFETY BOOTS (minimum S1P OR S4 RUBBER)
- ANTI-NOISE PROTECTION
- GLASSES W/PROJECTIONS
- AV VEST
- CHICHONERA. WORK INSIDE THE LINE
- CHEMICAL PROTECTION MASK: ABEKP FILTER (ASK FOR YOUR NEED)

WHILE OUR STAFF IS NOT PERFORMING THEIR USUAL DUTIES

POSSIBLE RISKS:

- HITTING FIXED OBJECTS
- FALLS AT THE SAME LEVEL
- FALLS AT DIFFERENT LEVELS
- PARTICLE PROJECTION
- FIRE

PREVENTIVE MEASURES:

- CAUTION WHEN GOING DOWN THE STAIRS. ALWAYS USE THE HANDRAIL
- USE OF VERTICAL LADDERS WITHOUT AUTHORIZATION IS PROHIBITED
- BE ATTENTIVE TO ANY MOVEMENT OF LOADS, FORKLIFTS, ETC.
- USE CAUTION WHEN MOVING AROUND THE AREA
- IN THE EVENT OF ANY EMERGENCY SITUATION, IMMEDIATELY NOTIFY DANOSA PERSONNEL

PROPOSED PROTECTION MEASURES:

- SAFETY BOOTS (minimum S1P OR S4 RUBBER)
- AV VEST
- CHICHONERA. WORK INSIDE THE LINE
- GLASSES W/PROJECTIONS